Author Index

Abbott, P.V. *see* Kabak, Y.
Acil, Y. *see* Eberhard, J.
Aguiar, M.C.F. *see* Loyola, A.M.
Ahn, S.H. *see* Nam, K.C.
Akdeniz, B.G. & Soğur, E. An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings, 397
Akker, H.P. *see* Lindeboom, J.A.H.
Akpınar, K.E. *see* Er, K.
Alaçam, T. *see* Kayaoglu, G.
Al-Ali, K., Marghalani, H., Al-Yahya, A. & Omar, R. An assessment of endodontic re-treatment decision-making in an educational setting, 470
Alemanno, E. *see* Lendini, M.
Alfredo, E. *see* Sousa-Neto, M.D.
Algin, E. *see* Gökay, O.
Alves, A.M.H., Felippe, M.C.S., Felippe, W.T. & Rocha, M.J.C. *Ex vivo* evaluation of the capacity of the Tri Auto ZX to locate the apical foramen during root canal retreatment, 718
Al-Yahya, A. *see* Al-Ali, K.
Antoniazzi, J.H. *see* Felippe, M.C.S.
Appelbe, O.K. *see* Sedgley, C.M.
Applegate, B. *see* Sedgley, C.M.
Araújo, E.B. *see* Santos, A.D.
Arenas, N. *see* Caviedes-Bucheli, J.
von Arx, T. Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
Attin, T. *see* Hör, D.
Aydemir, H. *see* Taşdemir, T.
Azevedo, R.B. *see* Valois, C.R.A.
Azuero-Holguin, M.M. *see* Caviedes-Bucheli, J.

Badertscher, M. *see* Girard, S.
Bahia, M.G.A., Martins, R.C., Gonzalez, B.M. & Buono, V.T.L. Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
Balleri, P. *see* Veltri, M.
Banegas, G. *see* Zmener, O.
Barbakow, F. *see* Paqué, F.
Bargholz, C. Perforation repair with mineral trioxide aggregate: a modified matrix concept, 59
Barletta, F.B. *see* Masiero, A.V.
Bate, A.L. *see* Ricucci, D.
Belli, S., Erdemir, A., Ozcopur, M. & Eskitascioglu, G. The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite, 73
Bergmans, L., Moisiadis, P., Van Meerbeek, B., Quirynen, M. & Lambrechts, P. Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
Berutti, E. *see* Lendini, M.
Bhaskaran, V., Qualtrough, A.J.E., Rushton, V.E., Worthington, H.V. & Horner, K. A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics, 645
Bian, Z. *see* Cheung, G.S.P.
Bjørndal, L. & Reit, C. The adoption of new endodontic technology amongst Danish general dental practitioners, 52
Bjorndal, L. *see* Laustsen, M.H.
Boessler, C. *see* Peters, O.A.
Bombana, A.C. *see* Ferrari, P.H.P.
Botero, T.M. *see* Hernandez, E.P.
Brennan, P.A. *see* Witton, R.
Breschi, L. *see* Venturi, M.
Budd, J.C., Gekelman, D. & White, J.M. Temperature rise of the post and on the root surface during ultrasonic post removal, 705
Buono, V.T.L. *see* Bahia, M.G.A.

Cai, S. *see* Ferrari, P.H.P.
Cai, Z. *see* Kim, J.W.
Caltabiano, R. *see* Leonardi, R.
Camilleri, J., Montesin, F.E., Di Silvio, L. & Pitt Ford, T.R. The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
Canavan, D. *see* Polycarpou, N.
Capelli, A. *see* Pecora, J.D.
Caputi, S. *see* Varvara, G.
Cardoso, F.P. *see* Rezende, T.M.B.
Cardoso, S.V. *see* Loyola, A.M.
Carmo, M.A.V. *see* Loyola, A.M.
Cavalcanti, B.N., Rode, S.M. & Marques, M.M. Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
Caviedes-Bucheli, J., Arenas, N., Guiza, O., Moncada, N.A., Moreno, G.C., Diaz, E. & Munoz, H.R. Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
Caviedes-Bucheli, J., Azuero-Holguin, M.M. & Munoz, H.R. The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
Çelik Ünal, G. *see* Keçeci, A.D.

© 2005 International Endodontic Journal

Chandler, N.P. *see* Gordon, M.P.J.
Chang, Y.-C. *see* Huang, F.-M.
Chazel, J.C., Tramini, P., Valcarcel, J. & Pélissier, B. A comparative analysis of periapical health based on historic and current data, 277
Chen, Y.-J. *see* Huang, F.-M.
Cheung, G.S.P., Lai, S.C.N. & Ng, R.P.Y. Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
Cheung, G.S.P., Peng, B., Bian, Z., Shen, Y. & Darvell, B.W. Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
Cheung, G.S.P. *see* Chu, C.H.
Cheung, G.S.P. *see* Peng, B.
Cho, J.H. *see* Nam, K.C.
Chou, M.-Y. *see* Huang, F.-M.
Chu, A.-L. *see* ElAyouti, A.
Chu, C.H., Lo, E.C.M. & Cheung, G.S.P. Outcome of root canal treatment using Thermafil and cold lateral condensation filling techniques, 179
Cisneros-Cabello, R. *see* Segura-Egea, J.J.
Cook, R. *see* Mannocci, F.
Coutinho-Filho, T. *see* De Deus, G.
Creugers, N.H.J. *see* Fokkinga, W.A.
Cunha, E.M., Fernandes, A.V., Versiani, M.A. & Loyola, A.M. Unicystic ameloblastoma: a possible pitfall in periapical diagnosis, 334

Dammaschke, T. *see* Schäfer, E.
Darvell, B.W. *see* Cheung, G.S.P.
Dasch, W. *see* Lohbauer, U.
Davies, J.R. *see* Olsson, H.
De Bruyne, M.A.A. & De Moor, R.J.G. SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
De Bruyne, M.A.A., De Bruyne, R.J.E., Rosiers, L. & De Moor, R.J.G. Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
De Bruyne, M.A.A. *see* Depraet, F.J.H.W.
De Bruyne, R.J.E. *see* De Bruyne, M.A.A.
De Deus, G., Ximenes, R., Gurgel-Filho, E.D., Plotkowski, M.C. & Coutinho-Filho, T. Cytotoxicity of MTA and Portland cement on human ECV 304 endothelial cells, 604
De Moor, R.J.G. *see* De Bruyne, M.A.A.
De Moor, R.J.G. *see* Depraet, F.J.H.W.
Depraet, F.J.H.W., De Bruyne, M.A.A. & De Moor, R.J.G. The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302
Di Silvio, L. *see* Camilleri, J.
Diaz, E. *see* Caviedes-Bucheli, J.
Dommisch, H. *see* Eberhard, J.
Dorman, M.L. *see* Mellor, A.C.
Dulaimi, S.F. & Wali Al-Hashimi, M.K. A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques, 510
Dullin, C. *see* Hannig, C.
Dummer, P.M.H. *see* Rahman, S.

Eberhard, J., Zahl, A., Dommisch, H., Winter, J., Acil, Y. & Jepsen, S. Heat shock induces the synthesis of the inflammatory mediator leukotriene B_4 in human pulp cells, 882
Ebert, J. *see* Lohbauer, U.
Ebihara, A., Yoshioka, T. & Suda, H. Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255
ElAyouti, A., Kimionis, I., Chu, A.-L. & Löst, C. Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827
Eleftheriadis, G.I. & Lambrianidis, T.P. Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic, 725
Ellis, R.A. *see* Kim, J.W.
Er, K., Sümer, Z. & Akpınar, K.E. Apical extrusion of intracanal bacteria following use of two engine-driven instrumentation techniques, 871
Erdemir, A. *see* Belli, S.
Erler, M. *see* Schäfer, E.
Erten, H. *see* Kayaoglu, G.
Eskitascioglu, G. *see* Belli, S.
Esposito, P. *see* Varvara, G.
Estrela, C. *see* Pecora, J.D.
Ethunandan, M. *see* Witton, R.
Evans, N. & Hayes, J. Book review, 943
Evans, N. & Hayes, J. Book reviews, 943
Evans, N. Book reviews, 943

Fallahrastegar, A. *see* Kim, E.
Felippe, M.C.S., Felippe, W.T., Marques, M.M. & Antoniazzi, J.H. The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436
Felippe, M.C.S. *see* Alves, A.M.H.
Felippe, M.C.S. *see* Teixeira, C.S.
Felippe, W.T. *see* Alves, A.M.H.
Felippe, W.T. *see* Felippe, M.C.S.
Felippe, W.T. *see* Teixeira, C.S.
Fernandes, A.V. *see* Cunha, E.M.
Ferrari, M. *see* Hiraishi, N.
Ferrari, P.H.P., Cai, S. & Bombana, A.C. Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372
Ferraz, C.C.R. *see* Vivacqua-Gomes, N.

© 2005 International Endodontic Journal

Fokkinga, W.A., Le Bell, A.-M., Kreulen, C.M., Lassila, L.V.J., Vallittu, P.K. & Creugers, N.H.J. *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
Frenken, J.W.H. *see* Lindeboom, J.A.H.
Frisk, F. & Hakeberg, M. A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
Fukumoto, Y. *see* Yoshioka, T.

Gagliani, M.M., Gorni, F.G.M. & Strohmenger, L. Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320
Gambarini, G. *see* Lohbauer, U.
Gani, O. *see* Mutal, L.
Gekelman, D. *see* Budd, J.C.
Georgopoulou, M.K., Spanaki-Voreadi, A.P., Pantazis, N. & Kontakiotis, E.G. Frequency and distribution of root filled teeth and apical periodontitis in a Greek population, 105
Girard, S., Paqué, F., Badertscher, M., Sener, B. & Zehnder, M. Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
Girdler, N.M. *see* Mellor, A.C.
Gökay, O., Müjdeci, A. & Algin, E. *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
Gomes, B.P.F.A. *see* Vivacqua-Gomes, N.
Gonzalez, B.M. *see* Bahia, M.G.A.
Gordon, M.P.J., Love, R.M. & Chandler, N.P. An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals, 87
Gorni, F.G.M. *see* Gagliani, M.M.
Grandini, S. *see* Veltri, M.
Griggs, J.A. *see* Kim, J.W.
Guelzow, A., Stamm, O., Martus, P. & Kielbassa, A.M. Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
Guerisoli, D.M.Z. *see* Pecora, J.D.
Guiza, O. *see* Caviedes-Bucheli, J.
Gulabivala, K. *see* Hems, R.S.
Gulabivala, K. *see* Polycarpou, N.
Gulabivala, K. *see* van Zyl, S.P.
Gurgel-Filho, E.D. *see* De Deus, G.
Gurgel-Filho, E.D. *see* Vivacqua-Gomes, N.

Haapasalo, M. *see* Reynaud af Geijersstam, A.
Hakeberg, M. *see* Frisk, F.
Hall, D. *see* Sedgley, C.M.
Hamano, H. *see* Muramatsu, T.
Hannig, C., Dullin, C., Hülsmann, M. & Heidrich, G. Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904
Harmer, S. *see* Witton, R.
Hayes, J. *see* Evans, N.
Heidrich, G. *see* Hannig, C.
Hems, R.S., Gulabivala, K., Ng, Y.-L., Ready, D. & Spratt, D.A. An *in vitro* evaluation of the ability of ozone to kill a strain of *Enterococcus faecalis*, 22
Henthorn, K. *see* Witton, R.
Hernandez, E.P., Botero, T.M., Mantellini, M.G., McDonald, N.J. & Nör, J.E. Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
Highsmith, S. *see* Peters, C.I.
Hiraishi, N., Papacchini, F., Loushine, R.J., Weller, R.N., Ferrari, M., Pashley, D.H. & Tay, F.R. Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
Holst, K.E. *see* Olsson, H.
Hör, D., Krusy, S. & Attin, T. *Ex vivo* comparison of two electronic apex locators with different scales and frequencies, 855
Horner, K. *see* Bhaskaran, V.
Huang, F.-M., Chen, Y.-J., Chou, M.-Y. & Chang, Y.-C. Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
Huang, F.-M., Tsai, C.-H., Chen, Y.-J., Liu, C.-M., Chou, M.-Y. & Chang, Y.-C. Upregulation of tissue-type plasminogen activator in inflamed human dental pulps, 328
Hülsmann, M. *see* Hannig, C.
Hülsmann, M. *see* Paqué, F.
Hur, Y.-Y. *see* Kim, E.
Hussne, R.P. *see* Sipert, C.R.

Ikeda, H. *see* Puapichartdumrong, P.
İnan, U. *see* Taşdemir, T.
Inoue, T. *see* Muramatsu, T.
Inoue, T. *see* Nakayama, A.
Ito, I.Y. *see* Tanomaru-Filho, M.

Jepsen, S. *see* Eberhard, J.
Jiménez-Pinzón, A. *see* Segura-Egea, J.J.
Jung, I.-Y. *see* Kim, E.
Jung, M., Lommel, D. & Klimek, J. The imaging of root canal obturation using micro-CT, 617

Kabak, Y. & Abbott, P.V. Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population, 238
Kayaoglu, G., Erten, H. & Ørstavik, D. Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389
Kayaoglu, G., Erten, H., Alaçam, T. & Ørstavik, D. Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
Keating, A.P. *see* Loftus, J.J.

© 2005 International Endodontic Journal

Keçeci, A.D., Çelik Ünal, G. & Şen, B.H. Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381
Kielbassa, A.M. *see* Guelzow, A.
Kijsamanmith, K. *see* Timpawat, S.
Kikuchi, I. *see* Yoshioka, T.
Kim, D.W. *see* Nam, K.C.
Kim, E., Fallahrastegar, A., Hur, Y.-Y., Jung, I.-Y., Kim, S. & Lee, S.-J. Difference in root canal length between Asians and Caucasians, 149
Kim, J.W., Griggs, J.A., Regan, J.D., Ellis, R.A. & Cai, Z. Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
Kim, S. *see* Kim, E.
Kimionis, I. *see* ElAyouti, A.
Kishen, A. Periapical biomechanics and the role of cyclic biting force in apical retrograde fluid movement, 597
Klimek, J. *see* Jung, M.
Kobayashi, C. *see* da Silva, F.M.
Kobayashi, C. *see* Yoshioka, T.
Kobayashi, Ch. *see* Villegas, J.C.
Kochańska, B. *see* Kusiak, A.
Koka, R.S. *see* Peters, C.I.
Kontakiotis, E.G. *see* Georgopoulou, M.K.
Krage, T.L., Stiefel, A., Stephan, B.M., Zimmer, S., Lambrichts, I. & Raab, W.H.-M. Microhardness changes in dentine after neonatal capsaicin application, 570
Kreulen, C.M. *see* Fokkinga, W.A.
Krusy, S. *see* Hör, D.
Kusiak, A., Sadlak-Nowicka, J., Limon, J. & Kochańska, B. Root morphology of mandibular premolars in 40 patients with Turner syndrome, 822

Lacey, S., Pitt Ford, T.R., Watson, T.F. & Sherriff, M. A study of the rheological properties of endodontic sealers, 499
Lai, S.C.N. *see* Cheung, G.S.P.
Lambrechts, P. *see* Bergmans, L.
Lambrianidis, T.P. *see* Eleftheriadis, G.I.
Lambrichts, I. *see* Krage, T.L.
Lassila, L.V.J. *see* Fokkinga, W.A.
Laustsen, M.H., Munksgaard, E.C., Reit, C. & Bjørndal, L. A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
Le Bell, A.-M. *see* Fokkinga, W.A.
Lee, S.-J. *see* Kim, E.
Lee, S.J. *see* Nam, K.C.
Lendini, M., Alemanno, E., Migliaretti, G. & Berutti, E. The effect of high-frequency electrical pulses on organic tissue in root canals, 531
Lennan, S.L. *see* Sedgley, C.M.
Leonardi, R., Caltabiano, R. & Loreto, C. Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
Leonardo, M.R. *see* Tanomaru-Filho, M.
Limon, J. *see* Kusiak, A.
Lindeboom, J.A.H., Frenken, J.W.H., Valkenburg, P. & Akker, H.P. The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
Lisa, G.S. *see* Loyola, A.M.
Liu, C.-M. *see* Huang, F.-M.
Lo, E.C.M. *see* Chu, C.H.
Loftus, J.J., Keating, A.P. & McCartan, B.E. Periapical status and quality of endodontic treatment in an adult Irish population, 81
Lohbauer, U., Gambarini, G., Ebert, J., Dasch, W. & Petschelt, A. Calcium release and pH-characteristics of calcium hydroxide plus points, 683
Lommel, D. *see* Jung, M.
Loreto, C. *see* Leonardi, R.
Löst, C. *see* ElAyouti, A.
Loushine, R.J. *see* Hiraishi, N.
Love, R.M. *see* Gordon, M.P.J.
Loyola, A.M., Cardoso, S.V., Lisa, G.S., Oliveira, L.J., Mesquita, R.A., Carmo, M.A.V. & Aguiar, M.C.F. Apoptosis in epithelial cells of apical radicular cysts, 465
Loyola, A.M. *see* Cunha, E.M.
Lussi, A. *see* Suter, B.

McCabe, J.F. *see* Whitworth, J.M.
McCartan, B.E. *see* Loftus, J.J.
McDonald, N.J. *see* Hernandez, E.P.
Mannocci, F., Peru, M., Sherriff, M., Cook, R. & Pitt Ford, T.R. The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study, 558
Mannocci, F., Sherriff, M., Watson, T.F. & Vallittu, P.K. Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
Mantellini, M.G. *see* Hernandez, E.P.
Mantovani, L. *see* Veltri, M.
Marchesan, M.A. *see* Sousa-Neto, M.D.
Marghalani, H. *see* Al-Ali, K.
Marques, M.M. *see* Cavalcanti, B.N.
Marques, M.M. *see* Felippe, M.C.S.
Martins, R.C. *see* Bahia, M.G.A.
Martorano, M. *see* Ricucci, D.
Martus, P. *see* Guelzow, A.
Masiero, A.V. & Barletta, F.B. Effectiveness of different techniques for removing gutta-percha during retreatment, 2
Matsuzaka, K. *see* Nakayama, A.
Meechan, J.G. *see* Whitworth, J.M.
Mellor, A.C., Dorman, M.L. & Girdler, N.M. The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis, 789
Mesquita, R.A. *see* Loyola, A.M.
Messer, H.H. *see* Sathorn, C.
Messer, H.H. *see* Timpawat, S.

© 2005 International Endodontic Journal

Migliaretti, G. *see* Lendini, M.
Moisiadis, P. *see* Bergmans, L.
Moles, D.R. *see* Polycarpou, N.
Mollo, A. *see* Veltri, M.
Moncada, N.A. *see* Caviedes-Bucheli, J.
Montesin, F.E. *see* Camilleri, J.
Moraes, J.C.S. *see* Santos, A.D.
Moreno, G.C. *see* Caviedes-Bucheli, J.
Müjdeci, A. *see* Gökay, O.
Munksgaard, E.C. *see* Laustsen, M.H.
Munoz, H.R. *see* Caviedes-Bucheli, J.
Muramatsu, T., Hamano, H., Ogami, K., Ohta, K., Inoue, T. & Shimono, M. Reduction of osteocalcin expression in aged human dental pulp, 817
Musch, U. *see* Paqué, F.
Mutal, L. & Gani, O. Presence of pores and vacuoles in set endodontic sealers, 690
Myers, P.M. *see* Whitworth, J.M.

Nagel, A.C. *see* Sedgley, C.M.
Nakayama, A., Ogiso, B., Tanabe, N., Takeichi, O., Matsuzaka, K. & Inoue, T. Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs, 203
Nam, K.C., Ahn, S.H., Cho, J.H., Kim, D.W. & Lee, S.J. Reduction of excessive electrical stimulus during electric pulp testing, 544
Nekoofar, M.H. Endodontic complications after plastic restorations in general practice, 417
Newcombe, R.G. Commentary: The unit of analysis, and measurement of effect size, 33
Newcombe, R.G. Reporting of clinical trials in the *IEJ*–the CONSORT guidelines, 1
Ng, R.P.Y. *see* Cheung, G.S.P.
Ng, Y.-L. *see* Hems, R.S.
Ng, Y.-L. *see* Polycarpou, N.
Ng, Y.-L. *see* van Zyl, S.P.
Nipattamanon, C. *see* Timpawat, S.
Nishiyama, C.K. *see* Sipert, C.R.
Nör, J.E. *see* Hernandez, E.P.

Ogami, K. *see* Muramatsu, T.
Ogiso, B. *see* Nakayama, A.
Ohta, K. *see* Muramatsu, T.
Oliveira, L.J. *see* Loyola, A.M.
Olsson, H., Davies, J.R., Holst, K.E., Schröder, U. & Petersson, K. Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
Omar, R. *see* Al-Ali, K.
Ørstavik, D. *see* Kayaoglu, G.
Ozcopur, M. *see* Belli, S.

Pameijer, C.H. *see* Zmener, O.
Pantazis, N. *see* Georgopoulou, M.K.
Papacchini, F. *see* Hiraishi, N.
Paqué, F., Barbakow, F. & Peters, O.A. Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
Paqué, F., Musch, U. & Hülsmann, M. Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8
Paqué, F. *see* Girard, S.
Parashos, P. *see* Sathorn, C.
Pascon, E.A. *see* Ricucci, D.
Pashley, D.H. *see* Hiraishi, N.
Pecora, J.D., Capelli, A., Guerisoli, D.M.Z., Spanó, J.C.E. & Estrela, C. Influence of cervical preflaring on apical file size determination, 430
Peli, J.F. *see* Perez, F.
Pélissier, B. *see* Chazel, J.C.
Peng, B., Shen, Y., Cheung, G.S.P. & Xia, T.J. Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
Peng, B. *see* Cheung, G.S.P.
Perez, F., Schoumacher, M. & Peli, J.F. Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
Perinetti, G. *see* Varvara, G.
Peru, M. *see* Mannocci, F.
Peters, C.I., Koka, R.S., Highsmith, S. & Peters, O.A. Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
Peters, O.A., Boessler, C. & Zehnder, M. Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation, 223
Peters, O.A. *see* Paqué, F.
Peters, O.A. *see* Peters, C.I.
Petersson, K. *see* Olsson, H.
Petschelt, A. *see* Lohbauer, U.
Pini, P. *see* Veltri, M.
Pitt Ford, T.R. *see* Camilleri, J.
Pitt Ford, T.R. *see* Lacey, S.
Pitt Ford, T.R. *see* Mannocci, F.
Plotkowski, M.C. *see* De Deus, G.
Poliseli-Neto, A. *see* Tanomaru-Filho, M.
Polycarpou, N., Ng, Y.-L., Canavan, D., Moles, D.R. & Gulabivala, K. Prevalence of persistent pain after endodontic treatment and factors affecting its occurrence in cases with complete radiographic healing, 169
Poyato-Ferrera, M. *see* Segura-Egea, J.J.
Puapichartdumrong, P., Ikeda, H. & Suda, H. Influence of the pulpal components on human dentine permeability *in vitro*, 152

Qualtrough, A.J.E. *see* Bhaskaran, V.
Quirynen, M. *see* Bergmans, L.

Raab, W.H.-M. *see* Krage, T.L.
Rahman, S., Whitworth, J.M. & Dummer, P.M.H. Carisolv™: an alternative to NaOCl in immature root canals?, 448

© 2005 International Endodontic Journal

Ramlee, R.A.M. *see* Whitworth, J.M.
Ravanshad, S. *see* Safi, L.
Ready, D. *see* Hems, R.S.
Regan, J.D. *see* Kim, J.W.
Reit, C. *see* Bjørndal, L.
Reit, C. *see* Laustsen, M.H.
Reynaud af Geijersstam, A., Sorsa, T., Stackelberg, S., Tervahartiala, T. & Haapasalo, M. Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
Rezende, T.M.B., Vargas, D.L., Cardoso, F.P., Sobrinho, A.P.R. & Vieira, L.Q. Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages, 896
Ricucci, D., Martorano, M., Bate, A.L. & Pascon, E.A. Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases, 262
Riitano, F. Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments, 575
Ríos-Santos, J.V. *see* Segura-Egea, J.J.
Rocha, M.J.C. *see* Alves, A.M.H.
Rode, S.M. *see* Cavalcanti, B.N.
Rosiers, L. *see* De Bruyne, M.A.A.
Rushton, V.E. *see* Bhaskaran, V.

Sadlak-Nowicka, J. *see* Kusiak, A.
Safi, L. & Ravanshad, S. Continued root formation of a pulpless permanent incisor following root canal treatment: a case report, 489
Santos, A.D., Moraes, J.C.S., Araújo, E.B., Yukimitu, K. & Valério Filho, W.V. Physico-chemical properties of MTA and a novel experimental cement, 443
Sathorn, C., Parashos, P. & Messer, H.H. Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
Schäfer, E., Erler, M. & Dammaschke, T. Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
Schoumacher, M. *see* Perez, F.
Schröder, U. *see* Olsson, H.
Sedgley, C.M., Lennan, S.L. & Appelbe, O.K. Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
Sedgley, C.M., Nagel, A.C., Hall, D. & Applegate, B. Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*, 97
Segura-Egea, J.J., Jiménez-Pinzón, A., Ríos-Santos, J.V., Velasco-Ortega, E., Cisneros-Cabello, R. & Poyato-Ferrera, M. High prevalence of apical periodontitis amongst type 2 diabetic patients, 564
Şen, B.H. *see* Keçeci, A.D.
Sener, B. *see* Girard, S.
Sequeira, P. *see* Suter, B.
Shen, Y. *see* Cheung, G.S.P.
Shen, Y. *see* Peng, B.
Sherriff, M. *see* Lacey, S.
Sherriff, M. *see* Mannocci, F.
Shimono, M. *see* Muramatsu, T.
Silva Coelho, F.I. *see* Sousa-Neto, M.D.
da Silva, F.M., Kobayashi, C. & Suda, H. Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
Silva, L.A.B. *see* Tanomaru-Filho, M.
Silva, L.P. *see* Valois, C.R.A.
Silva-Sousa, Y.T.C. *see* Sousa-Neto, M.D.
Sipert, C.R., Hussne, R.P., Nishiyama, C.K. & Torres, S.A. *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
van der Sluis, L.W.M., Wu, M.-K. & Wesselink, P.R. A comparison between a smooth wire and a K-file in removing artificially placed dentine debris from root canals in resin blocks during ultrasonic irrigation, 593
van der Sluis, L.W.M., Wu, M.-K. & Wesselink, P.R. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from human root canals prepared using instruments of varying taper, 764
Smith, J. *see* Whitworth, J.M.
Sobrinho, A.P.R. *see* Rezende, T.M.B.
Soğur, E. *see* Akdeniz, B.G.
Sorsa, T. *see* Reynaud af Geijersstam, A.
Sousa-Neto, M.D., Silva Coelho, F.I., Marchesan, M.A., Alfredo, E. & Silva-Sousa, Y.T.C. *Ex vivo* study of the adhesion of an epoxy-based sealer to human dentine submitted to irradiation with Er : YAG and Nd : YAG lasers, 866
Souza-Filho, F.J. *see* Vivacqua-Gomes, N.
Spanaki-Voreadi, A.P. *see* Georgopoulou, M.K.
Spanó, J.C.E. *see* Pecora, J.D.
Spratt, D.A. *see* Hems, R.S.
Stackelberg, S. *see* Reynaud af Geijersstam, A.
Stamm, O. *see* Guelzow, A.
Stephan, B.M. *see* Krage, T.L.
Stiefel, A. *see* Krage, T.L.
Strohmenger, L. *see* Gagliani, M.M.
Suda, H. *see* da Silva, F.M.
Suda, H. *see* Ebihara, A.
Suda, H. *see* Puapichartdumrong, P.
Suda, H. *see* Villegas, J.C.
Suda, H. *see* Yoshioka, T.
Sümer, Z. *see* Er, K.
Suter, B., Lussi, A. & Sequeira, P. Probability of removing fractured instruments from root canals, 112

Takeichi, O. *see* Nakayama, A.
Tanabe, N. *see* Nakayama, A.

© 2005 International Endodontic Journal

Tanomaru, J.M.G. *see* Tanomaru-Filho, M.
Tanomaru-Filho, M., Poliseli-Neto, A., Leonardo, M.R., Silva, L.A.B., Tanomaru, J.M.G. & Ito, I.Y. Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation, 477
Taşdemir, T., Aydemir, H., İnan, U. & Ünal, O. Canal preparation with Hero 642 rotary Ni–Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
Tay, F.R. *see* Hiraishi, N.
Teixeira, C.S., Felippe, M.C.S. & Felippe, W.T. The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis, 285
Tervahartiala, T. *see* Reynaud af Geijersstam, A.
Timpawat, S., Nipattamanon, C., Kijsamanmith, K. & Messer, H.H. Effect of bleaching agents on bonding to pulp chamber dentine, 211
Torres, S.A. *see* Sipert, C.R.
Traini, T. *see* Varvara, G.
Tramini, P. *see* Chazel, J.C.
Tsai, C.-H. *see* Huang, F.-M.

Ünal, O. *see* Taşdemir, T.

Valcarcel, J. *see* Chazel, J.C.
Valério Filho, W.V. *see* Santos, A.D.
Valkenburg, P. *see* Lindeboom, J.A.H.
Vallittu, P.K. *see* Fokkinga, W.A.
Vallittu, P.K. *see* Mannocci, F.
Valois, C.R.A., Silva, L.P. & Azevedo, R.B. Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425
Van Meerbeek, B. *see* Bergmans, L.
Vargas, D.L. *see* Rezende, T.M.B.
Varvara, G., Traini, T., Esposito, P., Caputi, S. & Perinetti, G. Copper–zinc superoxide dismutase activity in healthy and inflamed human dental pulp, 195
Velasco-Ortega, E. *see* Segura-Egea, J.J.
Veltri, M., Mollo, A., Mantovani, L., Pini, P., Balleri, P. & Grandini, S. A comparative study of Endoflare–Hero Shaper and Mtwo NiTi instruments in the preparation of curved root canals, 610
Venturi, M. & Breschi, L. A comparison between two electronic apex locators: an *in vivo* investigation, 36
Versiani, M.A. *see* Cunha, E.M.
Vieira, L.Q. *see* Rezende, T.M.B.
Villegas, J.C., Yoshioka, T., Kobayashi, Ch. & Suda, H. Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
Vivacqua-Gomes, N., Gurgel-Filho, E.D., Gomes, B.P.F.A., Ferraz, C.C.R., Zaia, A.A. & Souza-Filho, F.J. Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697

Wali Al-Hashimi, M.K. *see* Dulaimi, S.F.
Walls, A.W.G. *see* Whitworth, J.M.
Watson, T.F. *see* Lacey, S.
Watson, T.F. *see* Mannocci, F.
Weller, R.N. *see* Hiraishi, N.
Wesselink, P.R. *see* van der Sluis, L.W.M.
White, J.M. *see* Budd, J.C.
Whitworth, J.M., Myers, P.M., Smith, J., Walls, A.W.G. & McCabe, J.F. Endodontic complications after plastic restorations in general practice, 409
Whitworth, J.M., Ramlee, R.A.M. & Meechan, J.G. Pressures generated *in vitro* during Stabident intraosseous injections, 291
Whitworth, J.M. *see* Rahman, S.
Winter, J. *see* Eberhard, J.
Witton, R., Henthorn, K., Ethunandan, M., Harmer, S. & Brennan, P.A. Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843
Worthington, H.V. *see* Bhaskaran, V.
Wu, M.-K. *see* van der Sluis, L.W.M.

Xia, T.J. *see* Peng, B.
Ximenes, R. *see* De Deus, G.

Yoshioka, T., Kikuchi, I., Fukumoto, Y., Kobayashi, C. & Suda, H. Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
Yoshioka, T. *see* Ebihara, A.
Yoshioka, T. *see* Villegas, J.C.
Yukimitu, K. *see* Santos, A.D.

Zahl, A. *see* Eberhard, J.
Zaia, A.A. *see* Vivacqua-Gomes, N.
Zehnder, M. *see* Girard, S.
Zehnder, M. *see* Peters, O.A.
Zimmer, S. *see* Krage, T.L.
Zmener, O., Pameijer, C.H. & Banegas, G. Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
van Zyl, S.P., Gulabivala, K. & Ng, Y.-L. Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658

© 2005 International Endodontic Journal

Keyword Index

3d reconstruction. Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255

adhesion. Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389

adhesion. *Ex vivo* study of the adhesion of an epoxy-based sealer to human dentine submitted to irradiation with Er : YAG and Nd : YAG lasers, 866

adhesive bonding. Cytotoxicity of substances leached or dissolved from pulp capping materials, 505

adoption of technology. The adoption of new endodontic technology amongst Danish general dental practitioners, 52

aging. Reduction of osteocalcin expression in aged human dental pulp, 817

albumin. Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389

ameloblastoma. Unicystic ameloblastoma: a possible pitfall in periapical diagnosis, 334

anatomic endodontic technology. Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356

anatomy. The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study, 558

antibacterial. An *in vitro* evaluation of the ability of ozone to kill a strain of *Enterococcus faecalis*, 22

antibiotic prophylaxis. The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877

antimicrobial activity. Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483

antimicrobial activity. *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539

apex locator. *Ex vivo* comparison of two electronic apex locators with different scales and frequencies, 855

apexification. The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436

apical extrusion. Apical extrusion of intracanal bacteria following use of two engine-driven instrumentation techniques, 871

apical file size determination. Influence of cervical preflaring on apical file size determination, 430

apical leakage. The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302

apical periodontitis. Frequency and distribution of root filled teeth and apical periodontitis in a Greek population, 105

apical periodontitis. Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population, 238

apical periodontitis. Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases, 262

apical periodontitis. A comparative analysis of periapical health based on historic and current data, 277

apical periodontitis. High prevalence of apical periodontitis amongst type 2 diabetic patients, 564

apical surgery. SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310

apicectomy. Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320

apicectomy. Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827

apoptosis. Apoptosis in epithelial cells of apical radicular cysts, 465

arachidonic acid. Heat shock induces the synthesis of the inflammatory mediator leukotriene B_4 in human pulp cells, 882

asians. Difference in root canal length between Asians and Caucasians, 149

atomic force microscopy. Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425

automated root canal preparation. Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743

automated root canal preparation. Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8

automatic circuit breaker. Reduction of excessive electrical stimulus during electric pulp testing, 544

bacteria. Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389

bacteria. Apical extrusion of intracanal bacteria following use of two engine-driven instrumentation techniques, 871

bacteria. Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into

© 2005 International Endodontic Journal

instrumented root canals using real-time imaging *in vitro*, 97
bacterial morphology, Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
biocompatibility, Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
biocompatibility, The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
biocompatibility, Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages, 896
bioluminescence, Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*, 97
bleaching agents, Effect of bleaching agents on bonding to pulp chamber dentine, 211
bleaching gel, *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
bonding resins, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
bonding, Effect of bleaching agents on bonding to pulp chamber dentine, 211
bridges, Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521

cadavers, SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
calcitonin gene-related peptide receptor, Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
calcium hydroxide plus points, Calcium release and pH-characteristics of calcium hydroxide plus points, 683
calcium hydroxide points, Calcium release and pH-characteristics of calcium hydroxide plus points, 683
calcium hydroxide, Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
calcium hydroxide, Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389
calcium hydroxide, The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436
calcium hydroxide, Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
calcium hydroxide, Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
calcium hydroxide, Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
calcium release, Calcium release and pH-characteristics of calcium hydroxide plus points, 683
calculus, Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases, 262
canal aberration, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
canal anatomy, Difference in root canal length between Asians and Caucasians, 149
canal cleaning, The effect of high-frequency electrical pulses on organic tissue in root canals, 531
canal curvature, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
canal detection, Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
canal fillings, Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
canal isthmus, Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
canal length, Difference in root canal length between Asians and Caucasians, 149
canal shape, Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
canal shape, Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
canal straightening, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
canal transportation, Canal preparation with Hero 642 rotary Ni–Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
canal transportation, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
capillary flow porometry, Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
capillary rheometer, A study of the rheological properties of endodontic sealers, 499
capsaicin, The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
carbamide peroxide, *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
Carisolv™, Carisolv™: an alternative to NaOCl in immature root canals?, 448

© 2005 International Endodontic Journal

casein zymography, Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
Caucasians, Difference in root canal length between Asians and Caucasians, 149
cell culture, Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
cell death, Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
chelating agent, The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis, 285
chemical constitution, The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
chlorhexidine gel, Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
chlorhexidine, Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425
chloroform, Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658
cleaning efficacy, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
collagen, Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389
composite crown, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
computed tomography, Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255
computed tomography, Canal preparation with Hero 642 rotary Ni–Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
condensing osteitis, A comparative analysis of periapical health based on historic and current data, 277
conditioning dentine, Endodontic complications after plastic restorations in general practice, 409
configuration of root canal systems, Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
confocal microscopy, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
controlled torque, Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
coronal flaring, Influence of cervical preflaring on apical file size determination, 430
coronal leakage, The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302
cross-sectional, A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
crown-down, Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments, 575
crowns, Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
cryogenic, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
curved canals, A comparative study of Endoflare–Hero Shaper and Mtwo NiTi instruments in the preparation of curved root canals, 610
curved root canals, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
customization, Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658
cutting efficiency, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
cyclic loading, Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
cytokines, Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages, 896
cytotoxicity, Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
cytotoxicity, Cytotoxicity of MTA and Portland cement on human ECV 304 endothelial cells, 604

decision-making, An assessment of endodontic retreatment decision-making in an educational setting, 470
dental anthropology, A comparative analysis of periapical health based on historic and current data, 277
dental pulp capping, Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
dental pulp exposure, Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
dental pulp, Copper–zinc superoxide dismutase activity in healthy and inflamed human dental pulp, 195
dental pulp, Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
dental pulp, Reduction of osteocalcin expression in aged human dental pulp, 817

© 2005 International Endodontic Journal

dental radiograph. Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation. 477
dental radiography. Periapical status and quality of endodontic treatment in an adult Irish population. 81
dental. A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics. 645
dentin. Microhardness changes in dentine after neonatal capsaicin application. 570
dentine debris. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from human root canals prepared using instruments of varying taper. 764
dentine permeability. Influence of the pulpal components on human dentine permeability *in vitro*. 152
dentine. Effect of bleaching agents on bonding to pulp chamber dentine. 211
dentinogenesis. Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps. 186
dentistry – treatment. The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis. 789
diabetes mellitus. High prevalence of apical periodontitis amongst type 2 diabetic patients. 564
diagnosis. Unicystic ameloblastoma: a possible pitfall in periapical diagnosis. 334
diagnosis. Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report. 904
digital radiography. An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings. 397
digital. A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics. 645
dissolution. Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure. 889
DNA replication. Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*. 137
dye leakage. The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal. 302

EDTA. Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation. 223
EDTA. The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis. 285
EDTA. Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study. 356
EDTA. Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate. 810
electric pulp test. Reduction of excessive electrical stimulus during electric pulp testing. 544
electrical conductivity. Physico-chemical properties of MTA and a novel experimental cement. 443
electromyography. Reduction of excessive electrical stimulus during electric pulp testing. 544
electronic apex locator. *Ex vivo* evaluation of the capacity of the Tri Auto ZX to locate the apical foramen during root canal retreatment. 718
electronic apex locators. A comparison between two electronic apex locators: an *in vivo* investigation. 36
electronic apex locators. The adoption of new endodontic technology amongst Danish general dental practitioners. 52
electronic apex locators. Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study. 827
electronic odontometry. *Ex vivo* evaluation of the capacity of the Tri Auto ZX to locate the apical foramen during root canal retreatment. 718
endodontic epidemiology. Frequency and distribution of root filled teeth and apical periodontitis in a Greek population. 105
endodontic failure. Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases. 262
endodontic instruments. Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments. 575
endodontic instruments. Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments. 795
endodontic obturation. Presence of pores and vacuoles in set endodontic sealers. 690
endodontic re-treatment. An assessment of endodontic re-treatment decision-making in an educational setting. 470
endodontic retreatment. *Ex vivo* evaluation of the capacity of the Tri Auto ZX to locate the apical foramen during root canal retreatment. 718
endodontic sealers. A study of the rheological properties of endodontic sealers. 499
endodontic sealers. *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez. 539
endodontic sealers. Presence of pores and vacuoles in set endodontic sealers. 690
endodontic spreader loads. A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques. 510

© 2005 International Endodontic Journal

endodontic therapy, Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372
endodontic treatment, Prevalence of persistent pain after endodontic treatment and factors affecting its occurrence in cases with complete radiographic healing, 169
endodontic treatment, An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings, 397
endodontic, A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
endodontically treated teeth, Frequency and distribution of root filled teeth and apical periodontitis in a Greek population, 105
endodontically treated, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
endodontics, Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
endodontics, Difference in root canal length between Asians and Caucasians, 149
endodontics, Outcome of root canal treatment using Thermafil and cold lateral condensation filling techniques, 179
endodontics, Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320
endodontics, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
endodontics, Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation, 477
endodontics, The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study, 558
endodontics, High prevalence of apical periodontitis amongst type 2 diabetic patients, 564
endodontics, A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics, 645
endodontics, Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
endodontics, Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843
endodontics, *Ex vivo* comparison of two electronic apex locators with different scales and frequencies, 855
endodontology, Periapical status and quality of endodontic treatment in an adult Irish population, 81
Endo-Eze aet, Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
Endorez, *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
endoscopy, Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
energy-dispersive x-ray spectroscopy, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
engine-driven techniques, Apical extrusion of intracanal bacteria following use of two engine-driven instrumentation techniques, 871
Enterococcus faecalis, An *in vitro* evaluation of the ability of ozone to kill a strain of *Enterococcus faecalis*, 22
enteric bacteria, Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372
enterococci, Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372
enterococci, Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
Enterococcus faecalis, Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
Enterococcus faecalis, Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
Enterococcus faecalis, Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
epidemiology, A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
epidemiology, Periapical status and quality of endodontic treatment in an adult Irish population, 81
evidence-based dentistry, Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
excessive stimulus time, Reduction of excessive electrical stimulus during electric pulp testing, 544
expansion, A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
extraradicular infection, Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases, 262

failure mode, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
fatigue, Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795

© 2005 International Endodontic Journal

fatigue, Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
fibre posts, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
fibre reinforced, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
field emission-scanning electron microscope, Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
fill, Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
filter membrane, Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
filter paper, Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
fixed prosthodontics, Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
flat panel volume detector computer tomography, Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904
flexural fatigue, Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
flowable composite resin, The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite, 73
fluid movement, Periapical biomechanics and the role of cyclic biting force in apical retrograde fluid movement, 597
fluid transport method, Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
fluid transport model, The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302
fluorescent probes, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
fracture resistance, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
fracture resistance, The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite, 73
fracture, Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
fracture, Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
fractured instrument, Probability of removing fractured instruments from root canals, 112
Fuji IX, Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
Garrè's osteomyelitis, Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255
general practice, Endodontic complications after plastic restorations in general practice, 409
Glyde, Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
granulation tissue, Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
gutta-percha cone, Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425
gutta-percha, Effectiveness of different techniques for removing gutta-percha during retreatment, 2
gutta-percha, Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
gutta-percha, Calcium release and pH-characteristics of calcium hydroxide plus points, 683
gutta-percha, An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals, 87

hardness, Microhardness changes in dentine after neonatal capsaicin application, 570
heat shock, Heat shock induces the synthesis of the inflammatory mediator leukotriene B_4 in human pulp cells, 882
HEBP, Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
high-frequency electrical pulses, The effect of high-frequency electrical pulses on organic tissue in root canals, 531
histology, Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
human polymorphonuclear leukocyte, Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
human pulp, Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
human, Reduction of osteocalcin expression in aged human dental pulp, 817
hydrogen peroxide peroxide penetration, *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
hypochlorite, Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843

iatrogenic errors. Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic. 725
in vitro. Survival of *Enterococcus faecalis* in root canals *ex vivo*. 735
image enhancement. An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings. 397
imaging techniques. The imaging of root canal obturation using micro-CT. 617
immunohistochemistry. Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps. 186
immunohistochemistry. Upregulation of tissue-type plasminogen activator in inflamed human dental pulps. 328
immunohistochemistry. Apoptosis in epithelial cells of apical radicular cysts. 465
impedance. A comparison between two electronic apex locators: an *in vivo* investigation. 36
inflammation. Copper–zinc superoxide dismutase activity in healthy and inflamed human dental pulp. 195
inflammation. Upregulation of tissue-type plasminogen activator in inflamed human dental pulps. 328
innate immunity. Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages. 896
instrument fracture. Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation. 223
instrument removal. Probability of removing fractured instruments from root canals. 112
instrument type. Influence of cervical preflaring on apical file size determination. 430
intermediate restorative material. Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs. 203
inter-observer variation. An assessment of endodontic re-treatment decision-making in an educational setting. 470
intracanal medication. Calcium release and pH-characteristics of calcium hydroxide plus points. 683
intraosseous. Pressures generated *in vitro* during Stabident intraosseous injections. 291
IRM. Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry. 129
irrigant needle depth. Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*. 97
irrigant. Carisolv™: an alternative to NaOCl in immature root canals?. 448
irrigants. The effect of high-frequency electrical pulses on organic tissue in root canals. 531
irrigating solutions. The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis. 285
irrigation. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from human root canals prepared using instruments of varying taper. 764
irrigation. Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*. 97
isthmus. The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study. 558

ketorolac. The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis. 789
K-Flexofiles. Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology. ProFile and manual instrumentation: a scanning electron microscopic study. 356

laser and irradiation. *Ex vivo* study of the adhesion of an epoxy-based sealer to human dentine submitted to irradiation with Er : YAG and Nd : YAG lasers. 866
lateral condensation. Outcome of root canal treatment using Thermafil and cold lateral condensation filling techniques. 179
lateral condensation. A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques. 510
leukotriene. Heat shock induces the synthesis of the inflammatory mediator leukotriene B_4 in human pulp cells. 882
local anaesthetic. Pressures generated *in vitro* during Stabident intraosseous injections. 291
logistic regression. A comparative analysis of periapical health based on historic and current data. 277
longitudinal. A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg. Sweden. 246
long-time follow-up. Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease. 255
lubricant. Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation. 223

macrophages. Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages. 896
matrix concept. Perforation repair with mineral trioxide aggregate: a modified matrix concept. 59

© 2005 International Endodontic Journal

maxillary molars, Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
mechanical properties, Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
mesio-lingual canal, Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
methacrylate sealer, Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
micro-computed tomography, Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
micro-computed tomography, The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study, 558
micro-computed tomography, The imaging of root canal obturation using micro-CT, 617
microhardness, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
microorganism, Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation, 477
microscopic techniques, Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
mineral trioxide aggregate, Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs, 203
mineral trioxide aggregate, Physico-chemical properties of MTA and a novel experimental cement, 443
mineral trioxide aggregate, *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
mineral trioxide aggregate, Perforation repair with mineral trioxide aggregate: a modified matrix concept, 59
mineral trioxide aggregate, Cytotoxicity of MTA and Portland cement on human ECV 304 endothelial cells, 604
mineral trioxide aggregate, The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
mineral trioxide aggregate, Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages, 896
MMP-13, Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
MMP-8, Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
molar, Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
MTA, Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129

NaOCl, Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
naproxen sodium, Influence of the pulpal components on human dentine permeability *in vitro*, 152
native state, Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
natural teeth, The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from human root canals prepared using instruments of varying taper, 764
Nd:YAG laser, The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302
nerve damage, Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843
neurogenic inflammation, Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
neuronal, Microhardness changes in dentine after neonatal capsaicin application, 570
Ni–Ti instruments, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
nickel–titanium, Canal preparation with Hero 642 rotary Ni–Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
nickel–titanium, Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
nickel-titanium, Effectiveness of different techniques for removing gutta-percha during retreatment, 2
nickel-titanium, Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
nickel-titanium, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
nickel-titanium, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
nickel-titanium, Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
nickel-titanium, Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
NiTi instruments, The adoption of new endodontic technology amongst Danish general dental practitioners, 52

© 2005 International Endodontic Journal

NiTi instruments, Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8
NiTi, A comparative study of Endoflare–Hero Shaper and Mtwo NiTi instruments in the preparation of curved root canals, 610
nonsteroidal anti-inflammatory drugs, The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis, 789

obturation, Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381
obturation, Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658
odontoblast, Microhardness changes in dentine after neonatal capsaicin application, 570
odontoblastic layer, Influence of the pulpal components on human dentine permeability *in vitro*, 152
odontogenic tumours, Unicystic ameloblastoma: a possible pitfall in periapical diagnosis, 334
odontometry, Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827
one-step endodontics, Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
open apices, The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436
operating microscope, Probability of removing fractured instruments from root canals, 112
oral health, A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
osteoblast-like cells, Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs, 203
osteocalcin, Reduction of osteocalcin expression in aged human dental pulp, 817
oval canals, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
oxygen scavenging, Copper–zinc superoxide dismutase activity in healthy and inflamed human dental pulp, 195
ozone, An *in vitro* evaluation of the ability of ozone to kill a strain of *Enterococcus faecalis*, 22

paint-on whiteners, *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
partial least squares regression, A comparative analysis of periapical health based on historic and current data, 277
pathogenesis, Apoptosis in epithelial cells of apical radicular cysts, 465
perforation repair, Perforation repair with mineral trioxide aggregate: a modified matrix concept, 59
periapical diseases, Unicystic ameloblastoma: a possible pitfall in periapical diagnosis, 334
periapical healing, The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436
periapical inflammation, Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation, 477
periapical lesions, Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
periapical region, Periapical biomechanics and the role of cyclic biting force in apical retrograde fluid movement, 597
periapical status, Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population, 238
periapical surgery, The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
periodontal ligament, Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
periradicular surgery, Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
persistent pain, Prevalence of persistent pain after endodontic treatment and factors affecting its occurrence in cases with complete radiographic healing, 169
pH, Physico-chemical properties of MTA and a novel experimental cement, 443
phosphonate, Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
photostimulable storage phosphor system, An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings, 397
placebo, The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
plastic restorations, Endodontic complications after plastic restorations in general practice, 409
polycaprolactone, Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
polyethylene ribbon fibre, The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite, 73
polymers, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46

© 2005 International Endodontic Journal

Porphyromonas endodontalis, Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
porosity, Presence of pores and vacuoles in set endodontic sealers, 690
Portland cement, Physico-chemical properties of MTA and a novel experimental cement, 443
Portland cement, *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
Portland cement, Cytotoxicity of MTA and Portland cement on human ECV 304 endothelial cells, 604
post removal, Temperature rise of the post and on the root surface during ultrasonic post removal, 705
post, *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
pressure, Pressures generated *in vitro* during Stabident intraosseous injections, 291
ProFile, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
ProFile, Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381
ProTaper, Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8
prototype cements, The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
pulp breakdown, Endodontic complications after plastic restorations in general practice, 409
pulp cells, Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
pulp cells, Heat shock induces the synthesis of the inflammatory mediator leukotriene B_4 in human pulp cells, 882
pulp chamber, Effect of bleaching agents on bonding to pulp chamber dentine, 211
pulp, Upregulation of tissue-type plasminogen activator in inflamed human dental pulps, 328
pulp, Microhardness changes in dentine after neonatal capsaicin application, 570
pulpal components, Influence of the pulpal components on human dentine permeability *in vitro* , 152
pulpal necrosis, Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
pulpitis – irreversible, The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis, 789
pulpitis – treatment, The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis, 789
pulpitis, The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
pulpless teeth, Continued root formation of a pulpless permanent incisor following root canal treatment: a case report, 489

quality of endodontic treatment, Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population, 238
quantitative rt-pcr, Reduction of osteocalcin expression in aged human dental pulp, 817

RaCe, Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8
radicular cyst, Apoptosis in epithelial cells of apical radicular cysts, 465
radiodensity, Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
radiography, A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics, 645
radioimmunoanalysis, The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
radioreceptor assay, Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
randomized controlled trial, Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
randomized controlled trial, The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
rat, Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs, 203
RC-Prep, Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
release of ions, Physico-chemical properties of MTA and a novel experimental cement, 443
replication, Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
resilon, Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
resin blocks, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
rests of malassez, Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
retreatment, Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827

© 2005 International Endodontic Journal

retrofill, Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
rheology, A study of the rheological properties of endodontic sealers, 499
rhodamine b, Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
root canal anatomy, Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments, 575
root canal anatomy, Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904
root canal diameter, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
root canal filling, The imaging of root canal obturation using micro-CT, 617
root canal filling, An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals, 87
root canal infection, Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
root canal instrumentation, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
root canal instrumentation, Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381
root canal length, A comparison between two electronic apex locators: an *in vivo* investigation, 36
root canal obturation, The imaging of root canal obturation using micro-CT, 617
root canal obturation, Presence of pores and vacuoles in set endodontic sealers, 690
root canal preparation techniques, A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques, 510
root canal preparation, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
root canal preparation, Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
root canal retreatment, Probability of removing fractured instruments from root canals, 112
root canal retreatment, Effectiveness of different techniques for removing gutta-percha during retreatment, 2
root canal sealer, *Ex vivo* study of the adhesion of an epoxy-based sealer to human dentine submitted to irradiation with Er : YAG and Nd : YAG lasers, 866
root canal sealers, Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
root canal therapy, A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics, 645
root canal treatment, Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255
root canal treatment, Continued root formation of a pulpless permanent incisor following root canal treatment: a case report, 489
root canal treatment, A comparative study of Endo-flare–Hero Shaper and Mtwo NiTi instruments in the preparation of curved root canals, 610
root canal treatment, A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
root canal treatment, Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
root canal treatment, Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic, 725
root canal treatment, Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827
root canal treatment, Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843
root canal, Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
root canal, Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*, 97
root filling, Outcome of root canal treatment using Thermafil and cold lateral condensation filling techniques, 179
root filling, Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658
root filling, Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
root formation, Continued root formation of a pulpless permanent incisor following root canal treatment: a case report, 489
root morphology, Root morphology of mandibular premolars in 40 patients with Turner syndrome, 822
root perforation, Perforation repair with mineral trioxide aggregate: a modified matrix concept, 59
root, Temperature rise of the post and on the root surface during ultrasonic post removal, 705

© 2005 International Endodontic Journal

root-end preparation, SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
root-end resection, Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
rotary instrument, Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
rotary instrument, Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
rotary instrumentation, Effectiveness of different techniques for removing gutta-percha during retreatment, 2
rotary instrumentation, Canal preparation with Hero 642 rotary Ni–Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
rotary instruments, Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
rotary instruments, Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
rotary nickel-titanium file, Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
rubber dam, The adoption of new endodontic technology amongst Danish general dental practitioners, 52

sample preparation, Microscopic observation of bacteria: review highlighting the use of environmental SEM0, 775
scanning electron microscopy, SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
scanning electron microscopy, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
Sealapex, *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
SEM, Carisolv™: an alternative to NaOCl in immature root canals?, 448
separated instrument, Probability of removing fractured instruments from root canals, 112
serine proteases, Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
shaping, Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments, 575
shear bond strength, Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
shear, Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
signal transduction pathway, Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
simulated canal, Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
single cone, An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals, 87
single visit, Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
smear layer, The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis, 285
smooth wire, A comparison between a smooth wire and a K-file in removing artificially placed dentine debris from root canals in resin blocks during ultrasonic irrigation, 593
sodium hypochlorite, The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis, 285
sodium hypochlorite, Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
sodium hypochlorite, Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425
stabident, Pressures generated *in vitro* during Stabident intraosseous injections, 291
stainless steel file, Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOflash and nickel-titanium HERO Shaper, 637
stress, Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389
stress, Periapical biomechanics and the role of cyclic biting force in apical retrograde fluid movement, 597
substance p, The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
superelastic wires, Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
superoxide dismutase, Copper–zinc superoxide dismutase activity in healthy and inflamed human dental pulp, 195
surgical endodontics, Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320

© 2005 International Endodontic Journal

surgical endodontics. The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
survival analysis, Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
survival, Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
system b, Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381

technical quality, Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic, 725
temperature, Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
temperature, Temperature rise of the post and on the root surface during ultrasonic post removal, 705
temporary filling, A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
temporization, A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
therapeutic efficacy, Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
thermafil, Outcome of root canal treatment using Thermafil and cold lateral condensation filling techniques, 179
thermoplasticized, Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
three-dimensional observation, Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904
tissue type plasminogen activator, Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyromonas endodontalis* in human pulp cells, 860
tissue-type plasminogen activator, Upregulation of tissue-type plasminogen activator in inflamed human dental pulps, 328
tooth fracture, A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
torque value, Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation, 223
torque, Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
transportation, Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
treatment effectiveness, Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
treatment sessions, The adoption of new endodontic technology amongst Danish general dental practitioners, 52
Turner syndrome, Root morphology of mandibular premolars in 40 patients with Turner syndrome, 822

ultrasonic irrigation, A comparison between a smooth wire and a K-file in removing artificially placed dentine debris from root canals in resin blocks during ultrasonic irrigation, 593
ultrasonic preparation, SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
ultrasonics, Probability of removing fractured instruments from root canals, 112
ultrasound, Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320
ultrasound, Temperature rise of the post and on the root surface during ultrasonic post removal, 705
undergraduate dental clinic, Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic, 725

vacuolar structure, Presence of pores and vacuoles in set endodontic sealers, 690
vacuoles, Presence of pores and vacuoles in set endodontic sealers, 690
vertical load, Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
vertical root fractures, Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904

warm gutta-percha, The adoption of new endodontic technology amongst Danish general dental practitioners, 52
whitening strip, *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
working length, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
working length, Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827

© 2005 International Endodontic Journal

working length, *Ex vivo* comparison of two electronic apex locators with different scales and frequencies, 855
working safety, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
working time, Comparative study of six rotary nickel–titanium systems and hand instrumentation for root canal preparation, 743
Xchromosome, Root morphology of mandibular premolars in 40 patients with Turner syndrome, 822
X-ray diffraction, Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364

yeasts, Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372

© 2005 International Endodontic Journal